

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	13	"381"/\$.cds. and (resistor near10 between near10 capacit\$2 near10 FET)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/10/21 19:54
L2	11	microphone same (resistor near10 between near10 capacit\$2 near10 FET)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/10/21 19:55
L3	613	(resistor near10 between near10 capacit\$2 near10 FET)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/10/21 19:57
L4	260	(resistor near5 between near5 capacit\$2 near5 FET)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/10/21 19:58
L5	0	(resistor near5 between near5 capacit\$2 near5 FET near5 electromagnetic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/10/21 20:07
L6	0	(resistor near5 capacit\$2 near5 FET near5 electromagnetic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/10/21 20:07
L7	0	(resistor near10 capacit\$2 near10 FET near10 electromagnetic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/10/21 20:08
L8	1	(resistor near10 capacit\$2 near10 FET near10 em)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/10/21 20:08
L9	1015131	(resistor near10 capacit\$2 near10 FET) ame (em electromagnetic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/10/21 20:17

L10	29	(resistor near10 capacit\$2 near10 FET) same (em electromagnetic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/10/21 20:17
L11	1	resistor near10 FET near10 (block\$3 stop\$4) near10 (em electromagnetic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/10/21 20:19
L12	13	resistor near5 (block\$3 stop \$4) near5 (em electromagnetic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/10/21 20:19
L13	1592	resistor near5 (em electromagnetic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/10/21 20:20
L14	3	resistor near5 (em electromagnetic) near20 microphone	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/10/21 20:20
S1	1	song.in. and (condenser near10 microphone) and electromagnetic and noise and invert\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/08/27 20:10
S3	1	kim.in. and (condenser near10 microphone) and electromagnetic and noise and invert\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/10/17 14:53
S4	0	bse.AS. and (condenser near10 microphone) and electromagnetic and noise and invert\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/10/17 14:53
S5	271	(381/113).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/10/17 15:00
S6	5	"381"/\$.ccls. and ((condens \$2 capacit\$2 electrostatic) near5 microphone\$1) and ((EM electromagnet\$3) near10 resist\$4 near10 capacit\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/10/17 15:04

S7	1	("4281221").PN.	USPAT	OR	OFF	2008/10/17 15:18
S8	1337	(381/111,121,174).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/10/17 15:19
S9	3	("4281221").URPN.	USPAT	OR	OFF	2008/10/17 15:19
S10	446	"381"/\$.ccls. and ((condens \$2 capacit\$2 electrostatic) near5 microphone\$1) and (resist\$4 near10 capacit\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/10/17 15:20
S11	126	"381"/\$.ccls. and ((condens \$2 capacit\$2 electrostatic) near5 microphone\$1) near20 (resist\$4 near10 capacit\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/10/17 15:20
S12	27	S11 and (EM electromagnetic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/10/17 15:52
S13	2181	(381/312,313,92).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/10/17 15:56
S14	1	chung.in. and (condenser near10 microphone) and electromagnetic and noise and invert\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/10/17 16:34
S15	126	"381"/\$.ccls. and ((condens \$2 capacit\$2 electrostatic) near5 microphone\$1) near20 (resist\$4 near10 capacit\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/10/19 19:12
S16	62	S15 and filter\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/10/19 19:12
S17	1	chung.in. and (condenser near10 microphone) and electromagnetic and noise and invert\$2 and (low near4 frequency)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/10/19 19:18

S18	38	S15 and radio	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/10/19 19:20
S19	0	"381"/\$.ccls. and ((condens \$2 capacit\$2 electrostatic) near5 microphone\$1) near20 (resist\$4 near10 capacit\$4 near10 electrostatic near10 (em electromagnetic))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/10/20 10:05
S20	1	chung.in. and (condenser near10 microphone) and electromagnetic and noise and electrostatic and electromagnetic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/10/20 10:13
S21	1	("7034652").FN.	USPAT	OR	OFF	2008/10/20 10:20
S22	7	"381"/\$.ccls. and (resist\$4 near10 electrostatic near10 discharge)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/10/20 10:31
S23	5	"381"/\$.ccls. and (capacit\$3 near10 electrostatic near10 discharge)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/10/20 11:19
S24	756	(capacit\$3 near5 electrostatic near5 discharge)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/10/20 11:21
S25	6	((capacit\$3 resist\$3) near5 block\$3 near5 electrostatic near5 discharge)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/10/20 11:21
S26	12	(capacit\$3 near5 "1" near5 pF) near20 (resist\$3 near5 "10" near5 ohm\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/10/20 11:25
S27	1	chung.in. and (condenser near10 microphone) and electromagnetic and noise and (resist\$2 near5 decou \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/10/20 16:29

S28	2	chung.in. and (condenser near10 microphone) and electromagnetic and noise and (output near5 amplifi \$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/10/20 16:51
S29	57	"381"/\$.ccls. and (FET near10 resist\$2 near10 capacit\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/10/20 18:04
S30	9	("3944756" "4525817" "5097515" "5197102" "5579397" "5588065" "5635670" "6104818" "6504937").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/10/20 18:05

10/ 21/ 08 8:28:19 PM

C:\Documents and Settings\DFaulk\My Documents\EAST\Workspaces\10550170.wsp